

# NAMIBIAN STANDARD

## NAMS/ESI 002: Ed 1.0 04-2021: NAMIBIA ELECTRICITY SUPPLY INDUSTRY DISTRIBUTION INFRASTRUCTURE STANDARD: Part B-03: Overhead Conductor Distribution

This Namibian Standard has been developed within the Namibian Standards Institution (NSI)

---

Published by the Namibian Standards Institution (NSI)  
**Established by Section 2 of the Standard Act, 2005 (Act No 18 of 2005)**  
37 Feld Street  
P.O. Box 26364 Windhoek, Namibia  
Tel +264-61-386400, Fax +264-61-386454, Website: [www.nsi.com.na](http://www.nsi.com.na)  
© NSI



## **Foreword**

The Namibian Standards Institution (NSI) is the National Standards Body (NSB) responsible for coordinating all standardization and quality assurance activities in the country and represents Namibia at regional and international standardization bodies. The work of developing; adopting and amendment of National standards is normally carried out through NSI technical committees. Each organisation or individual interested in a subject for which a technical committee has been established has the right to be represented on that committee, being governmental and non-governmental organisations

Namibian standards are developed based on NSI Standards development procedures in accordance with the rules given in the International Organization for Standardisation/International Electro technical Commission (ISO/IEC) Directives 1, Procedures for TC work; ISO/IEC Guide 21-1 Adoption of international standards as regional or national standards and WTO – TBT World Trade Organisation code of Good Practice (which is published as Annex 3 in the TBT Agreement) I

The committee responsible for this document is the National Electrotechnical Committee (TC) on Electrotechnical related standards.

This edition NAMS/ESI 002: Ed 1.0 04-2021: Part B-03: Overhead Conductor Distribution is a first edition developed.







**TABLE OF CONTENTS**

	<u>PAGE</u>
<b>1 SCOPE .....</b>	<b>5</b>
<b>2 TREE CUTTING .....</b>	<b>9</b>
<b>3 POLES .....</b>	<b>9</b>
3.1 GENERAL.....	9
3.2 POLE SPACING.....	9
3.3 POLE PLANTING .....	9
3.4 POLE EARTHING .....	9
3.5 WOODEN POLES .....	10
3.5.1 <i>General specification</i> .....	10
3.6 CONCRETE POLES.....	11
3.6.1 <i>General</i> .....	11
3.6.2 <i>Design</i> .....	11
3.6.3 <i>Length, tip and butt dimension</i> .....	11
3.6.4 <i>Cover of reinforcement</i> .....	11
3.6.5 <i>Finish</i> .....	12
3.6.6 <i>Holes</i> .....	12
3.6.7 <i>Pole Strength</i> .....	12
3.7 MONOPOLE STEEL STRUCTURES .....	12
3.7.1 <i>Design</i> .....	12
3.7.2 <i>Paint and Finishing</i> .....	12
<b>4 STAY ASSEMBLIES .....</b>	<b>13</b>
4.1 GENERAL.....	13
4.2 STAYWIRE .....	13
4.2.1 <i>General</i> .....	13
4.2.2 <i>Stay wire for MV line</i> .....	13
4.2.3 <i>Stay wire for LV line</i> .....	13
4.3 STAY ROD.....	13
4.4 STAY ROD BASE PLATE .....	14
4.4.1 <i>Base plate for MV line stay rod</i> .....	14
4.4.2 <i>Base plate for LV line stay rod</i> .....	14
4.5 PREFORMED STAY FITTINGS.....	14
4.5.1 <i>General</i> .....	14
4.5.2 <i>Pole top make off</i> .....	14
4.5.3 <i>Preformed guy grips</i> .....	14
4.6 STAY INSULATOR.....	14
4.7 STAY GUARDS.....	15
4.8 OTHER STAY ACCESSORIES .....	15
4.8.1 <i>Cable clamps</i> .....	15
4.8.2 <i>Eye-bolt assembly</i> .....	15
<b>5 EXCAVATION .....</b>	<b>16</b>
5.1 GENERAL.....	16
5.2 POLE HOLE EXCAVATION.....	16
5.3 STAY HOLE EXCAVATION.....	17
5.4 COMPACTING OF HOLES .....	17
5.5 ROCK ANCHORS .....	17



PART B-03: OVERHEAD CONDUCTOR DISTRIBUTION, ABC, 3.3, 6.6, 11, 22, 33kV

<b>6</b>	<b>LINE CONFIGURATION .....</b>	<b>18</b>
6.1	GENERAL.....	18
6.1.1	<i>Hot Dipped Galvanizing</i> .....	18
6.1.2	<i>Bolts and nuts</i> .....	18
6.2	A-FRAME CONFIGURATION.....	18
6.2.1	<i>Strain A-frame</i> .....	18
6.2.2	<i>Intermediate A-frame</i> .....	19
6.3	VERTICAL STAGGERED DELTA CONFIGURATION.....	19
6.3.1	<i>Strain Staggered Delta</i> .....	19
6.3.2	<i>Intermediate Staggered Delta</i> .....	19
<b>7</b>	<b>LINE CONDUCTOR .....</b>	<b>20</b>
7.1	GENERAL.....	20
7.2	CONDUCTOR SIZE .....	20
7.3	LINE JOINTS .....	26
7.4	MINIMUM ELECTRICAL CLEARANCES (VERTICAL CLEARANCES).....	27
7.5	MINIMUM ELECTRICAL CLEARANCES (GUIDELINES FOR BUILDINGS AND PARALLEL LINES).....	29
7.6	POWER LINE, ROAD, RAILWAY AND COMMUNICATION LINE CROSSINGS .....	29
<b>8</b>	<b>INSULATORS.....</b>	<b>30</b>
8.1	GENERAL.....	30
8.1.1	<i>Types of insulators</i> .....	30
8.1.2	<i>Electrical design</i> .....	30
8.1.3	<i>Mechanical design</i> .....	30
8.1.4	<i>Clamps and conductor fittings</i> .....	30
8.2	STRAIN INSULATORS.....	31
8.3	INTERMEDIATE INSULATORS.....	31
8.4	MINIMUM INSULATION LEVELS FOR OVERHEAD LINES (EXTRACT FROM SANS 10280).....	32
<b>9</b>	<b>LINE FITTINGS .....</b>	<b>33</b>
9.1	PREFORMED BINDING TIES.....	33
9.2	PREFORMED DEAD ENDS .....	33
9.3	THIMBLE CLEVIS.....	33
9.4	PARALLEL GROOVE CLAMPS.....	33
<b>10</b>	<b>AERIAL BUNDLE CONDUCTOR .....</b>	<b>34</b>
10.1	ERECTION STANDARD .....	34
10.2	AERIAL BUNDLE CONDUCTOR.....	34
10.3	ERECTION OF ABC.....	34
10.4	ABC ERECTION TOOLS .....	35
10.4.1	<i>Running-out blocks</i> .....	35
10.4.2	<i>Pulling socks</i> .....	35
10.4.3	<i>Come-alongs</i> .....	35
10.4.4	<i>Dynamometer (1000/2000kg)</i> .....	35
10.4.5	<i>Phase separator</i> .....	35
10.4.6	<i>Crimping tool</i> .....	35
10.4.7	<i>Swivel</i> .....	35
10.4.8	<i>Pilot rope</i> .....	35
10.4.9	<i>Recommended Minimum (but not limited to) kit</i> .....	36
10.5	ABC ACCESSORIES AND MOUNTING HARDWARE .....	36
10.5.1	<i>General</i> .....	36
10.5.2	<i>Low voltage suspension assembly</i> .....	36
10.5.3	<i>Bundle strain lamp – Dead end assembly for ABC cable</i> .....	36
10.5.4	<i>Pigtail bolt assembly</i> .....	37
10.5.5	<i>Eyebolt assemblies and fishplates</i> .....	37
10.5.6	<i>Pre-insulated junction sleeves</i> .....	37



---

**PART B-03: OVERHEAD CONDUCTOR DISTRIBUTION, ABC, 3.3, 6.6, 11, 22, 33kV**

---

10.5.7	<i>End caps.....</i>	37
10.5.8	<i>Cable ties use with ABC.....</i>	37
10.5.9	<i>Tap-off connectors .....</i>	37
10.5.10	<i>Strapping to pole of ABC ends .....</i>	38
10.5.11	<i>ABC to underground cable joint.....</i>	38
<b>11</b>	<b>SPECIFIC SUPPLY AUTHORITY REQUIREMENTS DUE TO CLIMATE CONDITIONS OF THE COUNTRY .....</b>	<b>38</b>